

CRF50

frames & accessories 4-5 performance & accessories 6-15 suspension 16-17 wheels & brakes 18-19 controls 20-21 plastics & graphics 22-23

TTR50

frames & accessories 26 suspension, wheels & brakes 27 controls 28 graphics, billet & accessories 29

KLX110

suspension 32-33 performance & accessories 34-36 graphics, billet & accessories 37 controls, wheels & brakes 38-39

BIG BIKE

controls 42 handguards & accessories 43

MISC. clothing / stickers 44 replacement chart 45







- > Huge 2" aluminum square tube with 5/16 wall backbone for extra strength.
- > New for 2008, + 4" billet swingarm. (not shown)
- > 6" longer wheelbase, 1" longer forward of tank.
- > 6" of wheel travel.
- > CUSTOM Fox Podium X shock with adjustable compression and rebound dampening.
- > 3 shock mount positions for adjustable ride height.

840-CRF-200 aluminum

- > 4130 chromoly heat-treated.

810-CRF-1BK 810-CRF-100

590-CRE-000

CHROMO PRO FRAME KIT

- > Black powdercoated 4130 chromoly frame with removable sub-frame.
- > Black powdercoated chromoly heavy duty swingarm with upright style shock mount.
- > CUSTOM Fox Podium X shock with adjustable compression and rebound dampening.
- > Also available with +4" billet swingarm.

815-CRF-000 815-CRF-200

black black w? billet swingarm

> Over 1" longer forward of tank. > Removable aluminum sub-frame. > Over 4 times stronger than stock.

black unfinished

> Increases wheelbase by 2".

- > Oversized tubing & internally re-enforced welds ensure maximum strength.
- > Includes sealed bearings, HD chain slider, brake rod extender and red billet chain adjuster blocks.



black

Ð.

OBSKI

5

COMPLETE ENGINES ECT FOR BUILD

The property of



> SOHC

- > Bore x Stroke: 54mm x 54.5mm.
- > Cylinder Height: 69mm.
- > Max Power: 12.2ps (on the wheel).
- > Valve Size: 25mm (intake), 22mm (exhaust).
- > Clutch: Secondary 4 disc manual clutch.
- > Transmission: 4 speed (1 down, 3 up).
- > Primary Gear Ratio: 18/67 (2.62) 1st: 13/34 (3.18) 2nd: 17/29 (1.71) 3rd: 22/26 (1.18) 4th: 24/22 (0.91)
- > Starting: Kick.
- > Electrical: Digital CDI Daytona Racing Outer Rotor Kit. Ignition timing selectable from 4 different timings.


INCLUDES:

125...

- > KEIHIN PE26 Carburetor (not shown)
- > 14t Countershaft Sprocket
- > Rubber Manifold for PE26
- > Intake Manifold
- > Shift Lever
- > Spark Plug
- > Throttle Cable

NOT INCLUDED: > Ignition Cover

- > Kick Arm
- [#] DAY-83374



KAMAKA7F 880

DOHC Upgrade Kit Available Summer 2008!

[#] DAY-84570

> SOHC

- > Bore x Stroke: 57mm x 58.7mm.
- > Max Power: 16-18ps (on the wheel).
- > Valve Size: 28mm (intake), 23.5mm (exhaust).
- > Clutch: Secondary 5 disc manual clutch with oil cooler output.
- > Transmission: 4 speed.
- > Primary Gear Ratio: 18/67 (2.62) 1st: 13/34 (3.18) 2nd: 17/29 (1.71)
- 3rd: 20/26 (1.30)
- 4th: 23/24 (1.04)
- > Starting: Kick.
- > Electrical: Digital CDI Lightweight Outer Rotor Kit. Ignition timing selectable from 4 different timings.

INCLUDES:

- > KEIHIN PE28 Carburetor (not shown)
- > 15t Countershaft Sprocket
- > Rubber Manifold for PE28
- > Intake Manifold
- > Shift Lever
- > Spark Plug
- > Throttle Cable

NOT INCLUDED:

- > Ignition Cover
- > Kick Arm

[**#**] DAY-84346



DOHC Upgrade Kit Available Fall 2008! [#] DAY-84427

19_{cc} Ckit


CARDING THE LAWY

> Pre-Built big 4 valve head with 2 gear driven cams. > 21mm intake, 18mm exhaust valves.

- > 54mm aluminum cylinder.*
- > 52mm crankshaft.
- > Piston & ring set, gasket kit, PWK28 carb, intake manifold, air filter, CDI box, high flow oil pump and instructions.

[#] DAY-82472

refer to page 45 for replacement parts



performance results will vary depending on setup







110cc & 119cc

 \square

- > Pre-built big valve head assembly.
- > 52mm crankshaft.
- > 25mm intake and 22mm exhaust valves.
- > 110cc (approx.12hp) comes with 52mm aluminum cylinder.
- > 119cc (approx.13.5hp) comes with 54mm aluminum cylinder.*

> Kits include: Piston & ring set, gasket kit, high performance roller bearing camshaft, PE26 carb, Intake manifold, air filter, CDI box, high flow oil pump and instructions.

[#]

DAY-82469 (110cc) DAY-82471 (119cc) refer to page 45 for replacement parts

/!\

HEAD kits

88cc & 95cc

- > Pre-built big valve head assembly.
- > 24mm intake and 21mm exhaust valves.
- > 88cc (approx. 9.5hp) comes with 52mm aluminum cylinder.
- > 95cc (approx. 10hp) comes with 54mm aluminum cylinder.*
- > Kits Includes: Piston & ring set, gasket kit, high performance roller bearing camshaft, PE24 carb, Intake manifold, air filter, CDI box, high flow oil pump and instructions.

88 & 95cc KITS DO NOT INCLUDE CRANKSHAFT

[#] DAY-82466 (88cc) DAY-82467 (95cc) refer to page 45 for replacement parts

*REQUIRE STOCK CRANKCASES TO BE MACHINED TO ALLOW 54mm CYLINDER TO FIT




88cc BORE UP KIT

- AND

- > Increases HP from 2.5 to approx. 6 HP.
- > Kit includes: 52mm aluminum cylinder, 52mm aluminum piston, wrist pin, circlips, ring set, high performance camshaft, Keihin PC20 carb, intake manifold, 15 tooth sprocket, UNI dual stage air filter, rings and gasket kit.

[#] 220-CRF-088

refer to page 45 for replacement parts



MF EXHAUSI

- > Increases power throughout RPM range.
- > Stainless Steel or Ti header.

FMF-CRF-SS (stainless) FMF-CRF-Ti (titanium) CRANKSHAFT

- > 52mm crankshaft.
- Converts 88cc Big
- Valve motor to 110cc. > Converts 95cc Big
- valve motor to 119cc.

DAYTONA

[#] DAY-37713



Heavy duty and reinforced to help prevent engine failure due to cam chain breakage.

#] DAY-29747 DAYTONA

BOLT SET

> Reinforced crankcase cover bolts.

(#) DAY-82511 silver DAY-82512 gold



CYLINDER

> 52mm and 54mm.

[#] DAY-82487 (52mm) DAY-82488 (54mm)

1





DAYTONA > Reinforced stud and nut set. [#] DAY-31831

XICKSTARTER
Stock style replacement.
(#) 570-CRF-900



> Dual stage UNI filter.

(#) 225-CRF-AIR (PC18-20) 235-CRF-AIR (PE24-28) DRESS UP KIT

- > Anodized billet aluminum.
- Includes cam cover, oil port cover, head cover and dipstick.

[#] 210-CRF-KRD 210-CRF-KBK [COLOR] red

black

210-CRF-ORD 210-CRF-OBK



O ORDER DIPSTICK ONLY 210-CRF-DRD red 210-CRF-DBK blac

black

LUMINUM SKID PLATE

800-CRF-0BK 800-CRF-0GM [COLOR] black gunmetal

Anadized billet duminum

DAYTONA

HIGH FLOW OIL PUMP

Allows for twice as much oil flow.
 A must have for high performance engines.

[#] DAY-82490

Magnetic ti
 [#]
 DAY-20793



OUTER ROTOR KIT

DAYTONA[®]

- Stronger spark, high performance racing ignition that replaces stock Honda ignition.
- > Reduces flywheel weight.
- > Allows for timing adjustments.
- [#] DAY-37396



OIL BOLT DAYTONA

Magnetic tip helps keep metal out of oil.

լլ

[COLOR] blue

сы вох

 Increases rev limit and stronger spark for better performance.

[#]

DAY-48146 (daytona) TOKYO-2920 (tokyo mods)

 POWER SPARK "EXCITER"
 Provides stronger spark for better performance.

DAYTONA

[**#**] DAY-31014

CLUTCH & TRANSMISSION KIT

- > 4 speed, 5 disc.
- Converts your auto clutch to a fully manual clutch.
- Moves the clutch from the crankshaft to the mainshaft which increases engine performance.
- Removable cover allows for easy clutch maintenance.
- > Replaceable oil filter.

[**#**] DAY-82535



DAYTONA

"A Part



MANUAL CLUTCH KIT

- Converts your centrifugal clutch to al manual clutch.
- Allows the rider to control the RPM's for better starts and power control.
- Includes crankcase cover assembly, clutch assembly, gear shift arm, primary gear set, bolts, gaskets, clutch lever/perch and cable.

[**#**] DAY-83375


FOR ENGINES ABOVE 88cc, KIT #82535 IS RECOMMENDED.



CLUTCH SPRINGS

 Heavy duty, stiffer springs improve clutch life and decrease clutch slippage.
 Fits crf50 & crf70.

[#] 270-CRF-000



SPROCKETS

- Hard anodized 7075 T-6 aircraft grade aluminum.
- Lightweight & durable with mud clearing grooves.
- > Sizes: 35, 37, 39.

[COLOF

290-CRF-35T	silver
290-CRF-35TB	black
290-CRF-37T	silver
290-CRF-37TB	black
290-CRF-39T	silver
290-CRF-39TB	black

SHIFT LEVER

- > Folds upon impact to help
- prevent bending and breakage.
- > Extended for added foot room.
- [#] 570-CRF-010

COUNTERSHAFT SPROCKETS

- > Heat treated steel for long wear.
- Self cleaning mud grooves prevent build-up.





CHAIN GUIDE

- > For use with stock or extended swingarms.
- > Heavy duty, extra beefy billet/nylon.



lCOLOR black blue red



NEW design makes it the most adjustable, technically advanced mini fork available.

32 FACTORY FOR

- Air adjustable low speed compression dampening.
- Rebound adjustment done via clicker for 'on the fly' adjustments.
- High Speed compression adjustable by changing valving and fork oil weight.
- > 6" Travel
- Sealed oil bath dampening system (just like big bike forks).
- Floating piston dampening design eliminates cavitations (common with mini forks).
- > Billet T-7075 triple clamps.
- > Works with stock hub and drum brake or with Factory Fork Upgrade Kit.

B30-CRF-000

ODDED EDDINICE O

630-CRF-450 (progressive)



FACTORY FORK UPGRADE KIT

 Includes heavy duty rim, black billet hub laced with heavy duty spokes, disc brake kit, axle, hardware and rim band.

630-CRF-1BK (10")

630-CRF-1RD (10") 630-CRF-2BK (12") 630-CRF-2RD (12")

(COLOR) black red black red

gold and blue rims available upon request

FORK EXTENDER KIT

- Zinc plated fork legs are substantially stronger and 1" longer than stock.
- Includes extended fork legs, extended brake cable and delrin bushings.

[#] 650-CRF-000 see page 45 for replacement part





FOX FLOAT MXR SHOCK

- > For use with "hoop style" swingarms.
- > Weighs only 1.1 lbs.
- Most adjustable shock available with external rebound adjustment and infinitely adjustable air spring using the provided air pump.
- > Rebuildable and revalvable.

[#] FOX-997-23-000



FORK EXTENDER DISC BRAKE KIT

- Hub insert converts stock drum brake into disc brake for better stopping power and feel.
- > Zinc plated fork legs are substantially stronger and 1" longer than stock.
- Includes extended fork legs, hub insert, delrin bushings, disc brake kit and hardware.

[#] 670-CRF-ODB see page 45 for replacement parts

FORK SPRINGS

 Longer for increased height.
 Fits XR/CRF50 fork legs and RB +1" fork extenders.
 Stiffer than stock.

[#] 610-CRF-000

REAR SHOCK SPRINGS

- > Stiffens the stock shock.
- Heavy duty and preset for long life.

[#] 620-CRF-OBL 620-CRF-ORD 620-CRF-OSV

[COLOR] blue red silver



MPLETE FRONT WHEELS

- > 10" or 12" wheels for use with +1" fork ext. w/ disc brake kit or RB factory fork.
- > Billet hub laced with heavy duty spokes.
- > Heavy duty rim with rim band.

BRAKE & ROTOR KIT (690-CRF-BRK) SOLD SEPARATELY.

635-CRF-010 (10") 635-CRF-012 (12") SPECIFY RIM COLOR WHEN ORDERING



> 10" or 12" 28 spoke rims. > Strong, lightweight aluminum.

910-CRF-0BK (10") black 910-CRF-OBL (10") blue 910-CRF-ORD (10") red 910-CRF-OGL (10") gold 930-CRF-0BK (12") black 930-CRF-OBL (12") blue 930-CRF-ORD (12") red 930-CRF-OGL (12") gold

- > 10 gauge stainless steel 10" or 12".
- > 10" spokes fit XR/CRF50 stock hub laced to 10" rim.
- > 12" spokes fit XR/CRF50 stock hub laced to 12" rim & RB billet rear hub laced to a 10" rim.

920-CRF-000 (10")

930-CRF-010 (12")







- > Foot pedal style or hand lever style (not shown).
- > Billet rear hub with all new HD sprocket carrier.
- > Billet aluminum brake pedal.
- > Formula disc brake kit (with foot brake style only). (hand brake style comes with RB disc brake kit)
- > HD spokes for 10" rim.

865-CRF-OBK (foot pedal style) 850-CRF-OBK (hand lever style)*

*HAND LEVER STYLE MOUNTS TO LEFT SIDE OF HANDLEBAR AND CAN'T BE USED WITH A MANUAL CLUTCH SET UP.

> Hydraulic brake lever and caliper with wave rotor and hardware.

690-CRF-BRK

> For use with stock brake drum. > 6061 aluminum with oversized pedal.

860-CRF-0BK



19

> 160mm for RB billet hubs. 690-CRF-WAV

BMX BAR KIT

> Includes mx bar, mx clamp, throttle, brake perch and lever, extended brake cable, extended throttle cable w? billet throttle cap for stock carb, extended kill switch.

[#]

550-CRF-000 (plastic throttle) 550-CRF-200 (billet throttle) SPECIFY CLAMP COLOR WHEN ORDERING

refer to page 45 for replacement parts



MX BAR KIT

> Includes mx bar, mx clamp, throttle, brake perch and lever, extended brake cable, extended throttle cable w/ billet throttle cap for stock carb, extended kill switch.

[#]

550-CRF-010 (plastic throttle) 550-CRF-210 (billet throttle) SPECIFY BAR & CLAMP COLOR WHEN ORDERING

refer to page 45 for replacement parts



BAR PAD



[#]

179mm rise. 6061 T-6 anodized aluminum.

Shot-peened with knurled grip areas.

[COLOR]

460-CRF-OGM gunmetal 460-CRF-OBK black 460-CRF-OBL blue 460-CRF-ORD red



BMX BAR > 7" rise. > Black powdercoated

chromoly. [#] 420-CRF-OBK



[#] 420-CRF-000 (bmx) 450-CRF-000 (mx)

BILLET THROTTLE

- > Big Throw=wide open at 1/4 turn for use with 18mm carbs and larger.
- > Regular throw to work on all carb sizes including stock.

[#]

510-CRF-000 (big) 510-CRF-ORD (big) 510-CRF-200 (regular) 510-CRF-2RD (regular) red

[COLOR] black

red black

THROTTLE CABLE

> Extended cable available in 2 sizes: 8.5" longer for STOCK carb and tall bars. (includes billet carb cap) OR 4.5" longer for AFTERMARKET 18mm and larger carbs.

[#]

530-CRF-200 (stock) 530-CRF-300 (aftermarket)

CLAMPS

- > Moves bars 2" forward and up from stock.
- > 6061 T-6 CNC machined billet aluminum.
- > Newly designed MX or BMX style.

320-CRF-OBK (BMX) 320-CRF-ORD (BMX) 320-CRF-OBL (BMX) 320-CRF-OSV (BMX) 340-CRF-OBK (MX) 340-CRF-ORD (MX) 340-CRF-OBL (MX) 340-CRF-0SV (MX)

FOOT PEG MOUNT

- > Heavy duty, powdercoated chromoly.
- > 1/2 inch further back than stock for more leg & foot room. [#] 560-CRF-400



red

blue silver red

blue

silver

black black

[COLOR]

DED Dearon





BILLET FOOT PEGS

- > Wide platform style with stiff springs and pressed in cleats for added traction.
- Mounts to stock peq mount, but RB heavy duty peg mount recommended.

[#]

560-CRF-0BK 560-CRF-OSV

[COLOR] black silver



> Billet aluminum with vent tube and cap.

250-CRF-BLK black 250-CRF-SIL silver 250-CRF-RED red

240-CRF-OBL 240-CRF-OGL 240-CRF-0SV 240-CRF-ORD

with tube. 240-CRF-OBK



Complete tall seat with gripper cover.

#] 700-CRF-100

High quality OEM injection molded replacement plastic.



700-CRF-SIL 700-CRF-WHT 700-CRF-BLK 700-CRF-ORG 700-CRF-GRN 700-CRF-PNK 700-CRF-BLU 700-CRF-RED 700-CRF-YEL

silver white black orange green pink blue red yellow

23

> Billet aluminum cap

black

blue gold silver red

10

- > OEM replica.
- Petcock and plastic gas cap included.
- > Fits XR/CRF50 and similar models.

[#] 790-CRF-TNK



- > 4130 powdercoated chromoly with removable sub-frame.
- > 4 times stronger than stock.
- > Over 1" longer forward of tank for more leg room.
- > Can be used with or without battery and electric start.

810-TTR-OBK

black

- > For use with "hoop style" swingarms.
- > Weighs only 1.1 lbs.
- > Most adjustable shock available with external rebound adjustment and infinitely adjustable air spring using the provided air pump.
- > Rebuildable and revalvable.

F0X-997-23-000

REAR SHOCK SPRING

- > Stiffens the stock shock.
- > Heavy duty and preset for long life.

blue silver

G2 FACTORY FORK

See all the newest features on page 16.

Includes blue CRF style front fender and white number plate.

[#] 630-TTR-000

[#]

TO ORDER FACTORY FORK UPGRADE KIT (complete front wheel & disc brake)

630-CRF-1BK (10") 630-CRF-1BL (10") 630-CRF-2BK (12") black 630-CRF-2BL (12") blue

[COLOR] black blue

TO ORDER SPRINGS ONLY 630-CRF-450 (progressive) SEPARATELY. [#] 635-CRF-010 (10") 635-CRF-012 (12")

- kit and hardware.

[#] 670-TTR-ODB



00

- Increases wheelbase by 2".
- > Oversized tubing & internally re-enforced welds ensure maximum strength.
- > Includes sealed bearings, HD chain slider, brake rod extender and red billet chain adjuster blocks.

820-TTR-OBK black



620-TTR-OBL 620-TTR-OSV



COMPLETE FRONT WHEELS

> 10" or 12" wheels for use with +1" fork ext. w/ disc brake kit or RB factory fork.

> Billet hub laced with heavy duty spokes.

Heavy duty rim with rim band.

BRAKE & ROTOR KIT (690-CRF-BRK) SOLD

SPECIFY RIM COLOR WHEN ORDERING

HEAVY DUTY RIMS

- > 10" or 12" 28 spoke rims.
- > Strong, lightweight aluminum.

[#]

- 910-CRF-0BK (10") 910-CRF-OBL (10") 910-CRF-ORD (10") 910-CRF-OGL (10")
- 930-CRF-0BK (12") 930-CRF-OBL (12") 930-CRF-ORD (12") 930-CRF-OGL (12")
- black blue red gold black

[COLOR]

blue red gold

TO ORDER HEAVY DUTY SPOKES ONLY

920-CRF-000 (10") 930-CRF-010 (12")

FORK EXTENDER DISC BRAKE KIT

> REQUIRES USE OF RB COMPLETE FRONT WHEEL. > Zinc plated fork legs are substantially stronger and 1" longer than stock. > Includes extended fork legs, delrin bushings, disc brake

see page 45 for replacement parts

FORK EXTENDER KIT

- > Zinc plated fork legs are substantially stronger and 1" longer than stock.
- Includes extended fork legs, extended brake cable and delrin bushings.

[#] 650-TTR-000 see page 45 for replacement parts

FORK SPRINGS

> Longer for increased height > Fits TTR50 fork legs and RB +1" fork extenders > Stiffer than stock

[#] 610-TTR-000

BMX BAR KIT

> Includes mx bar, mx clamp, throttle, brake perch and lever, extended brake cable, extended throttle cable w/ billet throttle cap for stock carb, extended kill switch.

[#]

550-TTR-000 (plastic throttle) 550-TTR-200 (billet throttle) refer to page 45 for replacement parts

TO ORDER BILLET THROTTLE ONLY 510-CRF-000 (big) black 510-CRF-200 (regular) black



MX BAR KIT

> Includes mx bar, mx clamp, throttle, brake perch and lever, extended brake cable, extended throttle cable w/ billet throttle cap for stock carb, extended kill switch.

[#]

RED BERON

550-TTR-010 (plastic throttle) 550-TTR-210 (billet throttle)

refer to page 45 for replacement parts

TO ORDER BILLET THROTTLE ONLY

510-CRF-000 (big) black 510-CRF-200 (regular) black

MX BAR > 179mm rise, 6061 T-6

anodized aluminum. Shot-peened with knurled grip areas.

[COLOR] [#] 460-CRF-OGM gunmetal 460-CRF-0BK black 460-CRF-OBL blue 460-CRF-ORD red



> 7" rise. chromoly.

BILLET FOOT PEGS

stiff springs and pressed in cleats for added traction.

560-CRF-0BK 560-CRF-0SV

SHIFT LEVER

> Folds upon impact to help prevent bending and breakage. > Extended for added foot room.

[#]

[#] 570-TTR-010

3) YAMAHA States. 10.0 8.000 20.0 04008 (#) 750-TTR-BLU

- > Hard anodized 7075 T-6 aircraft grade aluminum.
- > Lightweight & durable with mud clearing grooves.
- Sizes: 35, 37, 39.

290-TTR-35T 290-TTR-35TB 290-TTR-37T 290-TTR-37TB 290-TTR-39T 290-TTR-39TB black

- > For use with stock or extended swingarms.
- > Heavy duty, extra beefy billet/nylon.

830-TTR-OBK 830-TTR-OBL

black blue

CLAMPS

- > Moves bars 2" forward and up from stock.
- > 6061 T-6 CNC machined billet aluminum.
- > Newly designed MX or BMX style.

[#] 320-TTR-OBK (BMX) 340-TTR-OBK (MX) black



BMX BAR Black powdercoated [#] 420-CRF-OBK

Wide platform style with

[COLOR] black silver

> 5U 720-TTR-0BK

[#] 710-TTR-000

- > Anodized billet aluminum.
- > Includes cam cover, oil port cover, head cover and dipstick.



black



silver

black silver black silver



> Billet aluminum with vent tube and cap.

250-CRF-BLK 250-CRF-SIL

250-CRF-RED

black silver red

29

240-CRF-0BK 240-CRF-OBL 240-CRF-OGL 240-CRF-0SV 240-CRF-ORD black blue gold silver red

SKID PLATE 800-TTR-OBK

black



NEW design makes it the most adjustable, technically advanced mini fork available.

G2 110 FACTORY FORK

- > Air adjustable low speed compression dampening.
- > Rebound adjustment done via clicker for 'on the fly' adjustments.
- > High Speed compression adjustable by changing valving and fork oil weight.
- > 8" Travel
- > Sealed oil bath dampening system (just like big bike forks).
- > Floating piston dampening design eliminates cavitations.
- > Billet T-7075 triple clamps.
- > Includes rotor adapter and 180mm hydraulic disc brake for use with stock hub.
- [#] 630-110-000

FORK SPRINGS

> Stiffer, heavy duty replacement springs for stock forks.

[#] 610-110-000

EXTENDED SWINGARM

- > 6061 T6 heat treated aluminum.
- > Adds 2" over stock wheelbase.
- > CNC machined billet ends for added strength. > Includes 8mm chain adjuster bolts and blocks, sealed bearings, stainless spacers, heavy duty chain slider and brake rod extender.

[#] 820-110-000

SHOCK SPRING

shock.

[#]

> Stiffer, heavy duty replacement for stock



[COLOR] 610-110-0SL silver 610-110-0BK black

KX65 FORK WORKS CARTRIDGE KIT

> State-of-art damping performance.

APATHA CON TANK CONTRACT DESCRIPTION

- > Independent pistons and shim stacks for rebound and compression damping.
- > Independent, externally adjustable . compression and rebound damping for optimum tuning and performance.


[#] 630-110-600



FOX FLOAT MXR SHOCK

- > For use with "hoop style" swingarms.
- > Weighs only 1.1 lbs.
- > Most adjustable shock available with external rebound adjustment and infinitely adjustable air spring using the provided air pump.
- > Rebuildable and revalvable.

[#] FOX-997-23-000



[#] 630-110-400

TO ORDER CLAMPS ONLY 340-K65-OBK (upper and lower)

143cc PRO KIT

Increases horsepower.

> Includes: 60mm cylinder and gaskets, 60mm piston, rings, pin and elips, eamshaft and spark plug.

[#] 220-110-143

refer to page 45 for replacement parts

143cc FACTORY KIT

- Increases horsepower.
- > Includes: Kamikaze 143cc PRO kit + 26mm carb and intake kit + air box removal bracket and air filter.

[#] 220-110-KIT

refer to page 45 for replacement parts



GG

KAMIKAZE MOTOR CO.

POWER-UP COMBO

> Includes: Kamikaze 143cc PRO kit + Kamikaze big valve head + Daytona power exciter plug cap.

[#] 220-110-SPL



THE LAST



filter and air box removal bracket.

[#] 220-110-300



BIG VALVE HEAD

- > 28.5mm intake valve. (5mm larger than stock)
- > 21.6mm titanium exhaust valve. (1mm larger than stock)
- > HD valve springs, titanium retainers.
- Includes high compression piston, piston rings and gaskets.

#] 220-110-BVH

Specify 58mm piston for 134 kit or 60mm piston for 143 kit when ordering.

KAMIKAZE

STROKER CRANKSHAFT

- > High quality OEM crankshaft stroked to 57mm.
- > Turns a 134cc into a 152cc.
- > Turns a 143cc into a 162cc.

Fetage out

[#] 220-110-STR

сы вох

- > Increases rev limit & stronger spark for better performance.
- #] TOKYO-2956

HIGH PERFORMANCE CAM

- > Adds HP and torque.
- > Works with stock engine or big bore kits.

[#] 220-110-CAM



> Increases power throughout RPM range.

> Stainless Steel or Ti header.

FMF-KLX-SS (stainless) FMF-KLX-Ti (titanium)

DAYTONA

POWER SPARK "EXCITER"

> Provides stronger spark for better performance.

[#] DAY-31014

26mm CARB KIT

> Includes: 26mm carb, manifold, manifold insulator, gaskets and throttle cable.

[#] 220-110-26M



35



HYDRAULIC CLUTCH KIT

> Converts automatic clutch to semi-automatic.

- > Use optional primary clutch removal spacer for a full manual clutch.
- > Kit comes with master cylinder w/ lever, braided clutch hose, hydraulic fluid and mounting kit.

[#] 270-110-HYD

TO ORDER CLUTCH REMOVAL SPACER ONLY 270-110-PRM

4 SPEED SHIFT DRUM

Converts 3 speed transmission to 4 speed.

[#] 270-110-4SP



SPROCKETS

- > Hard anodized 7075 T-6 aircraft grade aluminum.
- > Lightweight & durable with mud clearing grooves.

[COLOR]

> Sizes: 35, 37, 39.

[#]

290-110-35T silver 290-110-35TB black 290-110-37T silver 290-110-37TB black 290-110-39T silver 290-110-39TB black



CLUTCH SPRINGS

> Stiffer springs improve clutch life and decrease clutch slippage, a must for big bore engines.

[#] 270-110-000

SHIFT LEVER

- > Folds upon impact to help prevent bending and breakage.
- > Extended for added foot room.

[#]

570-110-000 (2002-2004) 570-110-010 (2005+)



Self cleaning grooves

[#] 290-110-13T 290-110-14T 290-110-15T

CHAIN GUIDE

[#]

÷.,

For use with stock or extended swingarms. 4 > Heavy duty, extra beefy billet/nylon.

[COLOR]

black 830-CRF-0BK 830-CRF-0BL blue 830-CRF-ORD red

DRESS UP KIT

- > Anodized billet aluminum.
- > Includes cam cover, tappet covers, ignition cover, chain guard and dipstick.



> Complete tall seat with gripper cover.

29

COUNTERSHAFT **SPROCKETS**

- > Heat treated steel for long wear.
- prevent build-up.

UKI KAMIKAZE

GRAPHICS [#] 750-110-GRN 750-110-BLK

[COLOR] green black

SEAT

[#] 700-110-100



STAINLESS BOLTS

18 stainless steel clutch and ignition cover allen bolts to replace cheap stock phillips head bolts.

[#] 280-110-000

ALUMINUM SKID PLATE [COLOR] 800-110-0BK black

> Billet aluminum with vent tube and cap.

250-CRF-BLK 250-CRF-SIL 250-CRF-RED

31

black silver red

- 240-CRF-0BK 240-CRF-OBL 240-CRF-OGL 240-CRF-0SV 240-CRF-ORD
- black blue gold silver red



FOOT PEG KIT

- > Black powdercoated chromoly mount with RB billet pegs.
- > Moves pegs back 1.5 inches from stock for more foot and leg room.
- > Works with stock or CRF style pegs.

[#]

560-KLX-4BK (mount w/ black peg) 560-KLX-4SV (mount w/ silver peg)

TO ORDER MOUNT ONLY 560-KLX-400



BILLET BRAKE PEDAL

OC IBSRD

- > For use with stock brake drum.
- > 6061 aluminum with oversized pedal.
- [#] 860-110-0BK



HEAVY DUTY RIMS

> 12" or 14" strong, lightweight aluminum.

[#]	[COLOR]
940-110-0BK (12")	black
940-110-0BL (12")	blue
940-110-0GN (12")	green
940-110-0GD (12")	gold
950-110-0BK (14")	black
950-110-0BL (14")	blue
950-110-0GN (14")	green
950-110-0GD (14")	gold

HEAVY DUTY SPOKES

- > 10 gauge stainless steel 12" or 14".
- > 12" spokes fit klx stock rear hub laced to 12" 36 hole rim.
- > 14" spokes fit klx stock front hub laced to 14" 32 hole rim.

[#] 930-110-012 (12") 930-110-014 (14")

25

BAR KIT

Includes upper triple clamp, RB midsize bar, extended brake cable, brake perch/lever.

[#] 550-110-010

SPECIFY BLUE OR BLACK CLAMP COLOR WHEN ORDERING

TO ORDER EXTENDED BRAKE CABLE ONLY 530-110-000

DESTR\ abbott

3 4 ()et



UPPER TRIPLE CLAMP

- > 4 position bar mount & dual pinch
- bolts for zero flex. > 34mm drop style upper clamp design

340-110-0BL 340-110-0BK

[#]





- > Midsize bar designed by David Pingree.
- > 7049 T-6 anodized aluminum.
- > 760mm width, 112mm rise, 50mm sweep.

[#] 460-110-0BK

[COLOR] black

MX BAR

- > 179mm rise, 6061 T-6 anodized aluminum.
- Shot-peened with knurled grip areas.

[#]

460-CRF-OGM 460-CRF-0BK 460-CRF-OBL 460-CRF-ORD

[COLOR] gunmetal

black blue red

> Anodized 6061 billet aluminum crown.

for easy head angle adjustment.

[COLOR]

blue black



LOWER TRIPLE CLAMP

- > Anodized 6061 billet aluminum & 7075 T-6 machined steer tube.
- > Over 1 pound lighter than stock.
- > Dual pinch bolts for zero flex.

[#]

345-110-0BL 345-110-0BK

[COLOR] blue black



TAPERED STEERING HEAD BEARINGS [#] 590-KLX-000



big bike

ADJUSTABLEOFTSet

- > Supermoto and mx adjustable offsets.
- > 4 different bar positions, fits 1.125 oversize bars.
- > Machined 6061 T-6 aluminum.
- > Stainless steel hardware.

KTM CLAMP

- > SM & MX Fits: All KTM models (04-08)
- > Designed to use stock KTM eccentric steering stem.
- > Supermoto offset adjustments between 12mm or 14mm.
- > MX offset adjustments between 18mm or 20mm.

[#] RBA-KTM1-SMS (sm) RBA-KTM1-SMB (sm) RBA-KTM1-MXB (mx)

black black

silver

YAMAHA CLAMP

- > Supermoto Fits: 06-08 YZF450/250.
- > Supermoto offset adjustments between 12mm and 14mm.
- > Includes 7075 T-6 aluminum steering stem, lower bearings.

RBA-YAM1-SMB (sm)

black

HONDA CLAMP

- > For 02-07 CRF450/250. Offset adjustments between 18mm and 20mm. OR
- > For 02-08 CRF450/250. Offset adjustments between 14mm and 16mm.
- > Includes 7075 T-6 aluminum steering stem, lower bearings and solid mount inserts.

black

RBA-HON1-SMX for 02-07 (18/22mm)

RBA-HON2-SMX

for 02-08 (14/16mm)

black

- hardware. breakage.

[#] RBA-HGM-YEL

RBA-HGM-RED RBA-HGM-WHT RBA-HGM-ORG **RBA-HGM-BLK** RBA-HGM-BLU

255	and the second sec
100	9 6
4.4	
VENT	CAPS
> Billet	aluminum cap

> Billet aluminum cap with tube.

[#] [COLOR] 240-CRF-0BK black 240-CRF-OBL blue 240-CRF-OGL gold 240-CRF-OSV silver 240-CRF-ORD red



MX STYLE HANDGUARD

> Large flexible shield is scratch, crack and fade resistant. > Black anodized 6061 aluminum mount and stainless steel

> Machined collars help prevent

[COLOR] yellow red white orange black blue






REPLACEMENT PARTS GUIDE


DAYTONA

PART#

DAY-60611



250-K50-CAT 220-K20-GAS 220-K20-PIS 220-K20-RGS



PART# 690-CRF-BRK 650-CRF-010 690-CRF-BPD 690-CRF-FBL 690-CRF-LEV 690-CRF-WAV

PART#

510-CRF-010 520-CRF-000 530-CRF-000 530-CRF-KIL 530-TTR-000 530-TTR-200 530-TTR-STB

Product Warranty- Red Baron Racing products are warrantied against defects in material and craftsmanship for a period of 3 months from ship date. At Red Baron Racing's sole discretion, defective parts will be repaired or replaced only. Due to the nature of motorcycle racing, Red Baron Racing will not cover any product damage from misuse, abuse, normal wear and tear, incorrect installation or crash damage. Red Baron Racing will only accept warranty claims after a Return Authorization Number has been issued. No returns/exchanges on motor parts or complete bikes.

Due to the fact that we are dedicated to producing the best parts at the best prices, Red Baron Racing reserves the right to change the technical specs or pricing for any part at any time.

This Catalog may not be reproduced in whole or part without written consent from Red Baron Racing Inc.

We would like to thank the following for their support:

Bombshell Parts, Daytona, One Industries, Dragon, FMF Racing, David Pingree (RacerX magazine), Michael Blose, Blake Baggett, Colt Humphrey, Steve Hatch, Nate Adams, Josh Hansen, Destry Abbott, EDG Creative, BRS Commercial (photography), Simon Cudby (photography), KJ Photo (photography), Scott Hoffman (photography, Supermoto Racer magazine), Jeff Hain (photography, Pitracer magazine), and Will Topete (photography).

HOODIE [COLOR] [#] 100-BRN-300 brown/l-xl SPECIFY SIZE WHEN ORDERING

racing



C

DESCRIPTION

52mm Piston Kit for 88cc & 110cc SOHC engines 54mm Piston Kit for 95cc & 119cc SOHC engines 54mm Piston Kit for 119cc DOHC only 54mm Piston Rit for 11922 DOHC only 52mm Gasket Kit for 88cc & 110cc SOHC engines 54mm Gasket Kit for 95cc & 119cc SOHC engines 54mm Gasket Kit for 119cc DOHC engines 011 Filter for Daytona clutch Keihin PE24 Keihin carb includes manifold Keihin PE26 Keihin carb includes manifold Keihin PE28 Keihin carb includes manifold DOHC intake manifold Keihin Slow Jet Kit #42-55 Keihin Main Jet Kit #90-108 Keihin Main Jet Kit #102-120 25mm Intake Valve for all Daytona SOHC kits 21mm Exhaust Valve for all Daytona SOHC kits

Gasket set for 88cc kit Oil Port Cover Gasket for 88cc kit 52mm Piston Kit for 88cc Replacement Ring Set for 52mm piston

143cc cylinder 143cc gasket kit 60mm piston for 143cc ring set for 143cc

DESCRIPTION

hydraulic disc kit & rotor delrin fork leg bushings brake pads front brake line brake lever wave rotor

DESCRIPTION

plastic throttle brake perch/lever extended brake cable kill switch TTR extended brake cable TTR extended throttle cable TTR electric start button

20650 N. 29th Pl. #101 Phoenix, AZ 85050 1.877.870.8400 redbaronracing.net